
1/9 FIG. 1



^{2/9} FIG. 2




FIG. 3









FIG. 4













6/9 FIG. 9



^{7/9} FIG. 10



Reference numerals in the drawings

- 100 hermetic compressor101 hermetic container102 oil104 compressing member
- 110 motor element
- 112 stator
- 114 rotor
- 120 compressing element
- 121 crank shaft
- 122 main shaft
- 124 eccentric shaft
- 125 oil supplying mechanism
- 126 block
- 127 bearing
- 128 piston
- 130 cylinder
- 132 valve plate
- 134 compressing chamber
- 136 coupling part
- 138 cylinder head
- 140 suction muffler
- 140A upper portion
- 140B lower portion
- 140C lower surface
- 142 sound deadening space
- 143 gas flow
- 144 gas flow forming part
- 146 oil discharged opening
- 148 gas passage
- 150 inlet pipe
- 152 outlet pipe
- 156 visor
- 200 hermetic compressor
- 201 hermetic container

- 202 oil 204 compressing member 210 motor element 212 stator

- 214 rotor
- 220 compressing element
- 221 crank shaft
- 222 main shaft
- 224 eccentric shaft
- 225 oil supplying mechanism
- 226 block
- 227 bearing
- 228 piston
- 230 cylinder
- 232 valve plate
- 234 compressing chamber
- 236 coupling part
- 238 cylinder head
- 240 suction muffler
- 242 sound deadening space
- 246 oil discharged opening